

SUPPLEMENTARY TABLE

Table S1. Grafting methods and rootstocks used in cucurbits crops (79)

Scion	Rootstock	Method
Cucumber	<i>Cucurbita ficifolia</i>	Tongue Approach
	<i>C. maxima</i> × <i>C. moschata</i>	Tongue Approach
	<i>Cucumis sativus</i>	Tongue Approach
	<i>Sicyos angulatus</i>	Tongue Approach
	<i>Cucurbita moschata</i>	Tongue and Hole insertion
	<i>Cucurbita maxima</i>	Tongue
Water melon	<i>Benincasa hispida</i>	Cleft and Hole insertion
	<i>Cucurbita moschata</i>	Hole insertion and Cleft
	<i>Cucumis melo</i>	Cleft
	<i>C. moschata</i> × <i>C. maxima</i>	Hole insertion
	<i>Lagenari asiceraria</i>	Splice Grafting
	<i>Sicyos angulatus</i>	Tongue Approach
Melon	<i>Cucumis melo</i>	Tongue and Cleft
Bitter gourd	<i>Cucurbita moschata</i>	Hole insertion and Tongue
	<i>Lagenari asiceraria</i>	Hole insertion
Bottle gourd	<i>Cucurbita moschata</i> , <i>Luffa sp.</i>	Hole insertion and Tongue