



RESEARCH ARTICLE

Amaranthus deflexus L. (Amaranthaceae), a new addition to Indian Flora

Sindhu Arya & Venugopalan Nair Saradamma Anil kumar*

Department of Botany, (Research Centre University of Kerala) University College, Thiruvananthapuram, Kerala - 695 034, India

*Email: vsanilbotany@gmail.com



ARTICLE HISTORY

Received: 28 June 2021
Accepted: 03 October 2021
Available online
Version 1.0: 12 May 2022



Additional information

Peer review: Publisher thanks Sectional Editor and the other anonymous reviewers for their contribution to the peer review of this work.

Reprints & permissions information is available at https://horizonepublishing.com/journals/index.php/PST/open_access_policy

Publisher's Note: Horizon e-Publishing Group remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Indexing: Plant Science Today, published by Horizon e-Publishing Group, is covered by Scopus, Web of Science, BIOSIS Previews, Clarivate Analytics, etc. See https://horizonepublishing.com/journals/index.php/PST/indexing_abstracting

Copyright: © The Author(s). This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution and reproduction in any medium, provided the original author and source are credited (<https://creativecommons.org/licenses/by/4.0/>)

CITE THIS ARTICLE

Arya S, Anil Kumar V S. *Amaranthus deflexus* L. (Amaranthaceae), a new addition to Indian Flora. Plant Science Today (Early Access). <https://doi.org/10.14719/pst.1360>

Abstract

Few populations of *Amaranthus deflexus* L. were observed in Kerala region (SW-India), contributing the first record of this species to the national Flora. A morphological (macro and micro) description of the species, as well as ecological data are given. A note on the phenotypic plasticity exhibited by the taxon is also provided.

Keywords

Alien species, Caryophyllales, Synflorescence, Western Ghats.

Introduction

The genus *Amaranthus* L. (Amaranthaceae Juss.) includes 65–70 species, of which approximately half are native to the Americas (1, 2). In India, the genus *Amaranthus* is represented by 19 species and peninsular India has 12 species. Some species are used as ornamentals, food or medicine and are able to escape from cultivation, negatively impacting the agricultural systems and or the natural vegetation (2-4). *Amaranthus* is a taxonomically critical genus with high phenotypic variability resulting in nomenclatural confusions and misapplication of several names (5-12).

As part of the ongoing investigation on the family Amaranthaceae from India (14-20), we found some populations of *Amaranthus deflexus* L., a species not familiar to the flora of India. Morphological notes, as well as ecological data are presented here.

Materials and Methods

The study is based on field surveys collected specimens are deposited at UCBD and TBGT taxonomic investigations of the collected specimens, analysis of relevant literature and examination of specimens preserved at AO, APP, FI, HFLA, G, GH, K, KFRI, MH, NY, RO and TSB (herbarium codes is continuously updated) (21). The description given as observed is specimens from the fields.

Results and Discussion

Three populations of *Amaranthus deflexus* were found in South India, Kerala State, Thiruvananthapuram District, at Vithura suburbs (localities Bonaccord and Palode) and Kulathupuzha town (Fig. 1), at elevation 700-1000 m a.s.l. The first observation of *Amaranthus deflexus* was in 2019 and the populations still exist in the above mentioned sites. A total of 40-55 individuals




Fig. 1. *Amaranthus deflexus* L. **A.** Habit; **B.** Spike; **C.** inflorescence close up; **D.** Pistillate flower; **E.** Flower cluster with bract.

were counted in these sites, occupying an area of about 3 m² per site. We observed the flowering and fruiting from June to February. Perusal of literature suggests these populations representing the first record of this species for the

Flora of India. Since it is recently traced out and the low number of individuals found about 27-35, we consider *Amaranthus deflexus* as a casual alien species for India. However, the populations seemed fertile. Further, future moni-

toring is warranted towards possible naturalization of the species. In peninsular India there are 12 species of *Amaranthus* as per our observation. Key to the species is given below:

- 1a Tepals 2(3); prostrate or ascending plants; synflorescence in axillary glomerule.....2
 1b Tepals 4(5); erect plants; synflorescence in panicles.....7
 2a Stem white-greenish; bract spinescent.....*A. albus*
 2b Stem reddish brown; bracts not spinescent.....3
 3a Gynoecium rough on surface; fruit subglobose*A. viridis*
 3b Gynoecium smooth; fruit ellipsoidal.....4
 4a Fruit dehiscent; smaller than tepal.....*A. tricolor*
 4b Fruit indehiscent; longer than tepal.....5
 5a Utricle pear shaped; twice as tepal.....*A. deflexus*
 5b Utricle subglobose; slightly longer than or equal to tepal.....6
 6a Leaf apex cordate-bilobbed often acute; fruit 0.5-1mm; slightly longer than tepal.....*A. blitum*
 6b Leaf apex acute, never bilobbed, fruit as long as tepal.....*A. graecizans*
 7a Tepals 4-(5); bracts linear less than 1 mm.....8
 7b Tepals 5; bracts ovate-deltoid, 1-2 mm.....*A. dubius*
 8a Tepals oblong-spathulate; equal; bract not spinescent; utricle irregular dehiscent.....*A. rajasekharii*
 8b Tepals ovate-lanceolate; unequal; bract spinescent; utricle regular dehiscent.....9
 9a Terminal spike with spine; spine 10 mm long; gynoecium white-light green.....*A. spinosus*
 9b Terminal spike without spine; spine 5 mm long; gynoecium lilac-dark green.....10
 10a Pollen 22-23 μm ; frequency of visible pore 26-30; fusion in ektexinuous body.....*A. saradhiana*
 10b Pollen 30 μm ; frequency of visible pores more than 30; ektexinuous bodies not fused.....11
 11a Bract 2-3 per flower; lanceolate with membranous borders thinning to apex; bract: tepal ratio 1.5-2.0 mm.....*A. hybridus*
 11b Bract 2 per flower; linear-lanceolate; bract: tepal ratio 1.2-2.3 mm.....12
 12a Terminal spikes and paraclade red; tepals with acute apex; bract ovate-obovate.....*A. cruentus*
 12b Terminal spikes and paraclade green; tepals with acuminate apex; bract linear-lanceolate..... *A. powellii*

Amaranthus deflexus L., Mant. Pl. Altera: 295. 1771. - *Euxolus deflexus* (L.) Raf., Fl. Tellur. 3: 42. 1837. - *Albersia deflexa* (L.) Fourr., Ann. Soc. Linn. Lyon sér. 2, 17: 142. 1869.



Type (lectotype designated by Aellen 1972: 7) -

Unknown origin. Herb. Linn. No. 1117.18 (LINN, digital image!). (22).

Description (macromorphology)

Herbs 10-22 cm, monoecious, perennial, rarely annual (therophyte). Stems ascending or prostrate, glabrous often slightly pubescent in the upper part, green-light brown, branched. Leaves usually green sometimes with a central white spot, ovate or lanceolate, 1.3-5.5 \times 0.9-2.3 cm, with entire margins, apex obtuse, base cuneate, glabrous sometimes pubescent on the veins, petioles 0.7-3.5 cm long. Synflorescences in axillary glomerules and terminal spike-like type, erect or slightly recurved, green or brown-reddish, 4.0-12.0 cm long. Floral bracts green to brownish, ovate to linear, 0.4-0.5 \times 0.4-0.6 mm, 0.3-0.5 times shorter than the tepal, mucronate, margin entire, glabrous. Staminate flowers with 2-3 tepals, ovate-obovate; Stamens 2-3. Pistillate flowers with 2-3 tepals, linear to lanceolate 1.5-2.5 \times 0.3-0.4 mm; stigmas 3. Fruits pale brown to reddish-brown, ellipsoid, 2.0-2.8 \times 1.0-1.2 mm, two times longer than the tepals, smooth, indehiscent. Seed lenticular-ovoid 1.0-1.2 \times 0.7-0.9 mm in diameter, black or dark-brown.

Description (micromorphology):- Roughly Sub-globose with a sub-basal hilum. Towards periphery there are symmetrically organised parallel lines with more or less rectangular interruptions (Fig. 2d). Towards the centre of






Fig. 2. Micromorphology of *Amaranthus deflexus* L. **A.** Pollen; **B.** Seed; **C.** Seed surface (middle region); **D.** seed surface (margin).

the seed the sculpturing are highly disoriented with irregularly scattered spermodermal structures. Epidermal cells ornamentation reticulate, each cell is sub-quadrangular.

Pollen grains are spheroidal, polypantoporate, each one with 8-10 pores; number of exine bodies range from (12-13), not fused, prominent, extruding and spinuous; surface ornamentation microechinate, sparse, margin of pores not depressed and without conspicuous ornamentations.

Phenology-

Flowering from July to September.

Habitat

Roadsides and uncultivated land.

Elevation

0-1000 m a.s.l.

Alien status

The species is native to South America and can be considered invasive in India.

Specimen examined

INDIA. Kerala: Thiruvananthapuram District, Ulloor to Kesavadasapuram, 18 m, 27 May 2019, *Anil Kumar & Arya s.n.* (TBGT), Kollam District, Kollam town, 8 m a.s.l., 30 May 2019, *Anil Kumar & Arya* 872 (TBGT). Ernakulam District, Ernakulam-Thevara route, 4 m, 9.9312° N 76.2673° E, 3 January 2019, *Anil Kumar & Arya* 873 (CALI); Alappuzha District, Cherthala-Alappuzha region, 11 m, 9.4981° N 76.3388° E, 20 February 2019, *Anil Kumar & Arya* 874 (TBGT).

Notes on phenotypic plasticity of *A. deflexus* L.

The high degree of phenotypic plasticity characteristic of the genus *Amaranthus* is reflected in *A. deflexus* also, as evident from the current observations. We could find phenotypes of the taxon in varied habitats and the plants displayed crawling, small erect and branched prostrate habits. A few collections, interestingly exhibits deep purple coloration of the synflorescences. Though, initially this raised confusion, the consistency in floral traits like tepal-bract ratio, nature of bracts and tepals as well as the number of stamens highly substantiated its original species status.

Acknowledgements

The authors are thankful to the curators of the national herbaria in which the specimens are deposited. The authors also express gratitude to the Director of Collegiate Education, Government of Kerala, for providing facilities.

Authors contributions

Both the authors contributed equally to the work presented in the manuscript.

Compliance with ethical standards

Conflict of interest: The author strongly confirms that this research is conducted with no conflict of interest.

Ethical issues: None

References

- Mosyakin SL, Robertson KR. New infrageneric taxa and combinations in *Amaranthus* (Amaranthaceae). *Annales Botanici Fennici* 1996;33:275-81.
- Iamonico D. Taxonomic revision of the genus *Amaranthus* (Amaranthaceae) in Italy. *Phytotaxa*. 2015;199(1):1. <https://doi.org/10.11646/phytotaxa.199.1.1>
- Iamonico D. Biology, life-strategy and invasiveness of *Amaranthus retroflexus* L. (Amaranthaceae) in central Italy: preliminary remarks. *Botanica Serbica*. 2010;34(2). <https://doi.org/10.24310/abm.v34i0.6910>
- Das S. Amaranths: the crop of great prospect. In: *Amaranthus: A Promising Crop of Future* (pp. 13-48). Springer, Singapore 2016. https://doi.org/10.1007/978-981-10-1469-7_3
- Costea M, De Mason D. Stem morphology and anatomy in *Amaranthus* L. (Amaranthaceae) - Taxonomic significance. *The Journal of the Torrey Botanical Society*. 2001;128(3):254-81. <https://doi.org/10.2307/3088717>
- Bayón ND. Revision taxonomica de las especies monoicas de *Amaranthus* (Amaranthaceae): *Amaranthus* subg. *Amaranthus* y *Amaranthus* subg. *Albersia*. *Annals of the Missouri Botanical Garden*. 2015;101(2):261-383. <https://doi.org/10.3417/2010080>
- Iamonico D. Nomenclature survey of the genus *Amaranthus* (Amaranthaceae). 3. Names linked to the Italian flora. *Plant Biosystems*. 2016;150(3):519-31. <https://doi.org/10.1080/11263504.2014.987188>
- Iamonico D. Nomenclature survey of the genus *Amaranthus* (Amaranthaceae). 5. Moquin-Tandon's names. *Phytotaxa*. 2016; 273(2):81-114. <https://doi.org/10.11646/phytotaxa.273.2.1>

9. Iamónico D. A nomenclatural survey of the genus *Amaranthus* (Amaranthaceae) 7: names published by Willdenow. Willdenowia. 2020;50(1):147-55. <https://doi.org/10.3372/wi.50.50114>
10. Iamónico D. Nomenclature survey of the genus *Amaranthus* (Amaranthaceae). 8. About *Amaranthus polygonoides* and *A. anderssonii*, two related taxa described from the tropical regions of America with notes on their taxonomy. Acta Botánica Mexicana. 2020;127. <http://dx.doi.org/10.21829/abm127.2020.1687>
11. Iamónico D. A nomenclatural survey of the genus *Amaranthus* (Amaranthaceae) 9: names published by Roxburgh. Taiwania, 2020;65(4). <https://doi.org/10.6165/tai.2020.65.559>
12. Iamónico D, Palmer J. Nomenclature survey of the genus *Amaranthus* (Amaranthaceae). 6. Names linked to the Australian flora. Australian Systematic Botany. 2020;33(2):169-73. <https://doi.org/10.1071/SB18062>
13. Hernández-Ledesma P, Berendsohn WG, Borsch T, Mering S, von Akhiani H, Arias S et al. A taxonomic backbone for the global synthesis of species diversity in the angiosperm order Caryophyllales. Willdenowia. 2015;45(3):281-383. <https://doi.org/10.3372/wi.45.45301>
14. Das S, Iamónico D. *Amaranthus bengalense* (Amaranthaceae) a new species from India, with taxonomical notes on *A. blitum* aggregate. Phytotaxa. 2014;181(5):293-300. <http://dx.doi.org/10.11646/phytotaxa.181.5.4>
15. Arya S, Kumar VNSA, Vishnu WK, Kumar TR. *Amaranthus saradhiana* (Amaranthaceae)-a new species from southern Western Ghats of Kerala, India. Phytotaxa. 2019;403(3):230-38. <https://doi.org/10.11646/phytotaxa.403.3.7>
16. Arya S, Kumar VNSA. *Amaranthus saradhiana* (Amaranthaceae)-A new record for Tamil Nadu, India. Indian Forester. 2020;146(9): 877-78. <https://doi.org/10.36808/if/2020/v146i9/154931>
17. Arya S, Iamónico D, Kumar VNSA. *Amaranthus powellii* (Amaranthaceae), a new addition for the flora of India and a preliminary list of the Indian *Amaranthus* species. Hacquetia. 2021. <https://doi.org/10.2478/hacq-2021-0005>
18. Arya S, Kumar VNSA. *Alternanthera ebracteolata* (Amaranthaceae), a new species from Kerala (SW-India). Phytotaxa. 2021;480(3):277-83. <https://doi.org/10.11646/phytotaxa.480.3.7>
19. Arya S, Iamónico D, Sanchez-Del Pino I, Kumar VNSA. *Alternanthera indica* (Amaranthaceae), a new species from Kerala (India). Phytotaxa. 2021;482(2):191-96. <https://doi.org/10.11646/phytotaxa.482.2.7>
20. Sindhu A, Venugopalan Nair Saradamma AK, Walsan Kalarikkal V, Iamónico D. *Amaranthus rajasekharii* (Amaranthaceae), a new species from Kerala (SW-India). Phytotaxa. 2020;433:153-60. <https://doi.org/10.11646/phytotaxa.433.2.6>
21. Thiers B. continuously updated Index Herbarium: A global directory of public herbaria and associated staff. New York Botanical Garden's Virtual Herbarium. Available from <http://sweetgum.nybg.org/ih/> (accessed 30 November 2019)
22. Aellen PL. Amaranthaceae. L. In: Rechinger KH (Editor) Flora Iranica 91. Akad. Druck, Graz. 1972; pp. 1-19.

§§§