



Research Communication

## Nomenclatural updates in Kashyap's 'Liverwort flora of western Himalayas and Panjab Plains'

Krishna Kumar Rawat<sup>1\*</sup>, Praveen Kumar Verma<sup>2</sup> and Afroz Alam<sup>3</sup>

<sup>1</sup> CSIR-National Botanical Research Institute, Rana Pratap Marg, Lucknow, Uttar Pradesh, India

<sup>2</sup> Forest Research Institute, New Forest, Dehradun, Uttarakhand, India

<sup>3</sup> Department of Biosciences and Biotechnology, Banasthali University, Tonk, Rajasthan, India

Article history

Received: 10 September 2015

Accepted: 16 September 2015

Published online: 1 October 2015

© Rawat et al. (2015)

Editors

Afroz Alam

Dipjyoti Chakraborty

Publisher

Horizon e-Publishing Group

Corresponding Author

Krishna Kumar Rawat

✉ drkkrawat@rediffmail.com

**Abstract**

An updated taxonomic status of various taxa described in the 'Liverworts of western Himalayas and Panjab plains', a monumental work of Prof. S.R. Kashyap, is provided in the light of numerous taxonomical changes occurred during course of time, with relevant references and/or annotations.

**Keywords**

Bryophytes; Liverworts; Himalaya; Panjab Plains

Rawat, K. K., Verma, P. K. and Alam, A. 2015. Nomenclatural updates in Kashyap's 'Liverwort flora of western Himalayas and Panjab Plains'. *Plant Science Today* 2(4): 179-183.  
<http://dx.doi.org/10.14719/pst.2015.2.4.146>

### Introduction

Prof. Shiv Ram Kashyap was born on 6<sup>th</sup> November, 1882 in Punjab. He completed his M.Sc. from Punjab University. Later on he initially served there as Professor of Botany and Dean, Faculty of Science at Punjab University, Chandigarh. He was one of the founders and the first secretary of Indian Botanical Society (IBS). In 1919, he was elected as President of Botany Section and in 1932 as General President of Indian Science Congress. Even though he also worked on Pteridophytes, he is famous for his contribution on bryophytes as he became the first Indian who published his paper on some liverworts of Western Himalayas in the year 1914, hence aptly called as 'Father of Indian bryology'. Prof. Kashyap has made several valuable contributions to Indian bryology. As a part of his valuable contribution to bryology, Prof. Kashyap established four genera new to the subject. These are *Aitchisoniella*, *Saucchia*, *Sewardiella* and *Stephensonella*. His theory of 'Retrogressive Evolution

in Liverworts (Marchantiales)' got a distinctive position in the world of International Bryology.

The most valuable contribution of Prof. Kashyap came from his exhaustive work on western Himalayan liverworts, published as "Liverworts of the western Himalayas and Panjab Plains" in the form of two monumental volumes (Kashyap 1929, Kashyap and Chopra 1932) and still remains as the most comprehensive account of western Himalayan liverworts. In his first volume, 33 genera and 70 species were described, out of which 6 genera and 50 species were restricted to India. In total, he has described 165 species in both of the volumes, including 8 unidentified species (5 species of *Lejeunea*, 2 species of *Plagiochila* and one of *Lophozia*). It has been around more than seven decades since this monumental work was published and during this period the taxonomy of bryophytes in general and liverworts in particular have reached up to great heights which observed numerous taxonomical changes at various taxonomical levels. All the 165

taxa are listed below alphabetically with accepted names written in bold with relevant references and/or annotations.

1. ***Aitchisoniella himalayensis*** Kashyap
2. *Aneura indica* Stephani ex Kashyap → ***Aneura pinguis*** (L.) Dumort. (Srivastava and Udar, 1976)
3. *Aneura levieri* (Schiffner) Stephani → ***Riccardia levieri*** Schiffner (Srivastava and Udar, 1976)
4. *Aneura pinguis* (L.) Dumort.
5. ***Anthelia julacea*** (L.) Dumort.
6. *Anthoceros chambensis* Kashyap → ***Phaeoceros laevis*** (L.) Prosk. (Asthana and Srivastava 1991)
7. ***Anthoceros erectus*** Kashyap
8. *Anthoceros gollani* Stephani → ***Phaeoceros carolinianus*** (Michx.) Prosk. (Asthana and Srivastava 1991)
9. *Anthoceros himalayensis* Kashyap → ***Phaeoceros himalayensis*** (Kashyap) Prosk. ex Bapna and G G Vyas (Asthana and Srivastava, 1991)
10. *Anthoceros longii* Stephani → ***Anthoceros erectus*** Kashyap (Asthana and Srivastava, 1991)
11. *Athalamia dioica* Kashyap → taxonomical status doubtful, present status uncertain (Rubasinghe, 2011)
12. ***Athalamia pinguis*** Falc.
13. *Athalamia pusilla* (Stephani) Kashyap → ***Clevea pusilla*** (Stephani) Rubasinghe and D.G. Long (Rubasinghe et al., 2011)
14. ***Blasia pusilla*** L.
15. ***Blepharostoma trichophyllum*** (L.) Dumort.
16. *Calycularia compacta* Kashyap → ***Calycularia crispula*** Mitt. (fide Konstantinova and Mamontov 2010)
17. ***Calycularia crispula*** Mitt.
18. *Calypogeia renistipula* Stephani → ***Metacalypogeia alternifolia*** (Nees) Grolle (Sharma and Srivastava, 1993)
19. ***Cephalozia gollani*** Stephani 'gollani'
20. *Chiloscyphus argutus* Nees → ***Heteroscyphus argutus*** (Nees) Schiffner (Srivastava and Srivastava, 2002)
21. ***Chiloscyphus campanulatus*** Stephani
22. *Chiloscyphus gollani* Stephani → ***Lophocolea gollanii*** (Stephani) Váňa (Soderstrom et al. 2013)
23. ***Chiloscyphus himalayensis*** Stephani → ***Chiloscyphus pallescens*** (Ehrh. ex Hoffm.) Dumort. (Soderstrom et al. 2013)
24. *Chiloscyphus inflatus* Stephani → ***Heteroscyphus inflatus*** (Stephani) A. Srivast. and SC Srivast. (Srivastava and Srivastava 2002)
25. ***Chiloscyphus polyantos*** (L.) Corda 'polyanthus'
26. ***Conocephalum conicum*** (L.) Necker
27. ***Cryptomitrium himalayense*** Kashyap
28. ***Cyathodium tuberosum*** Kashyap
29. *Diplophyllum orientale* Stephani → ***Scapania orientalis*** Stephani ex K. Müller (Srivastava and Srivastava 1995)
30. ***Dumontiera hirsuta*** Reinw., Blume et Nees
31. ***Exormotheca tuberifera*** Kashyap
32. *Fimbriaria angusta* Stephani → ***Asterella wallichiana*** (Lehm. et Lindenb.) Pande et al. [Long, 2006]
33. *Fimbriaria blumeana* Nees → ***Asterella blumeana*** (Nees) Kachroo (Kachroo, 1952)
34. *Fimbriaria calciatii* Gola → ***Mania androgyna*** (L. emend, Lindb.) A. Evans (Long, 2006)
35. *Fimbriaria gangetica* Kashyap → ***Asterella wallichiana*** (Lehm. et Lindenb.) Pande et al. (Udar and Jain, 1983; Long, 2006)
36. *Fimbriaria gollanii* Stephani → ***Asterella wallichiana*** (Lehm. et Lindenb.) Pande et al. (Udar and Jain, 1983; Long, 2006)
37. *Fimbriaria maculata* Stephani → ***Asterella wallichiana*** (Lehm. et Lindenb.) Pande et al. (Long, 2006)
38. *Fimbriaria multiflora* Stephani → ***Asterella multiflora*** (Stephani) Pande et al. ex Kachroo (Kachroo, 1958)
39. *Fimbriaria mussuriensis* Kashyap → ***Asterella mussooriensis*** (Kashyap) Verd.
40. *Fimbriaria nepalensis* Taylor → ***Asterella wallichiana*** (Lehm. et Lindenb.) Pande et al (Udar and Jain, 1983; Long, 2006)
41. *Fimbriaria papulosa* Stephani → ***Asterella khasyana*** (Gritt.) Pande, K.P. Srivast. and Sultan Khan (Long, 2006)
42. *Fimbriaria parvipora* Stephani → ***Asterella gracilis*** (F. Weber) Underw. (Long, 2006)
43. *Fimbriaria pathankotensis* Kashyap → ***Asterella multiflora*** (Stephani) Pande et al. ex Kachroo (Long, 2006)
44. *Fimbriaria reticulata* Stephani → ***Asterella leptophylla*** (Mont.) Pande et al. (Long, 2006)
45. *Fimbriaria sanguinea* Lehm. et Lindenb. → ***Asterella wallichiana*** (Lehm. et Lindenb.) Pande et al. (Long, 2006)
46. ***Fossombronia himalayensis*** Kashyap
47. ***Frullania duthiana*** Stephani
48. *Frullania gollanii* Stephani 'gollani' → ***Frullania polyptera*** Taylor (Hattori and Lin, 1985)
49. *Frullania gracillima* Stephani → Indian collection probably ***Frullania polyptera*** Taylor (Hattori, 1980)
50. *Frullania grevilleana* Taylor → ***Frullania nepalensis*** (Spreng.) Lehm. et Lindenb. var. *grevilleana* (Taylor) S. Hatt. (Mizutani, 1979)
51. ***Frullania himalayensis*** Stephani
52. ***Frullania muscicola*** Stephani
53. *Frullania pyriflora* Stephani → ***Frullania polyptera*** Taylor (Hattori, 1974)
54. *Frullania retusa* Mitt. → ***Frullania retusa*** Mitt.var. *retusa*
55. *Frullania squarrosa* Nees → ***Frullania ericoides*** (Nees) Mont. (Hattori and Lin, 1985)
56. ***Grimaldia indica*** Stephani → ***Mania indica*** (Stephani) Kachroo (Kachroo, 1958)
57. *Jamesoniella elongella* (Tayl.) Stephani → ***Syzygiella elongella*** (Taylor) Stephani (Feldberg, 2010)
58. *Jungermannia duthiana* Stephani (sensu Kashyap 1929) → ***Solenostoma confertissimum*** (Nees) Schljakov (Váňa and Long, 2009)
59. *Jungermannia humilis* Kashyap → doubtful status (nom. illeg.), present status uncertain (Váňa and Long, 2009)
60. ***Jungermannia oblongifolia*** Kashyap
61. *Jungermannia tenerrima* Stephani → ***Jungermannia gollanii*** Stephani (Váňa and Long, 2009)
62. *Jungermannia viridis* Kashyap → doubtful status (nom. illeg.), present status uncertain (Váňa and Long, 2009)
63. *Lejeunea chinensis* (Stephani) Stephani ex Kashyap → ***Tuzibeanthus chinensis*** (Stephani) Mizut. (Mizutani, 1961)
64. ***Lejeunea perrottetii*** Stephani
65. *Lejeunea* sp. A → Status not evaluated
66. *Lejeunea* sp. B → Status not evaluated
67. *Lejeunea* sp. C → Status not evaluated

68. *Lejeunea* sp. D → Status not evaluated  
 69. *Lejeunea* sp. E → Status not evaluated  
 70. *Lepidozia reptans* (L.) Dumort.  
 71. *Lophocolea alata* Mitt. ex Larter → *Lophocolea cuspidata* (Nees) Limpr. (fide Srivastava and Srivastava, 2002)  
 72. *Lophocolea bidentata* (L.) Dumort.  
 73. *Lophocolea heterophylla* (Schrad.) Dumort.  
 74. *Lophocolea minor* Nees  
 75. *Lophozia alpestris* (Schleich.) Evans → *Leiocolea collaris* (Nees) Scjljakov (Singh, 2012)  
 76. *Lophozia incisa* (Schrad.) Dumort.  
 77. *Lophozia piacenzai* Gola → *Lophocolea piacenzi* (Gola) Váňa (Söderström et al. 2013)  
 78. *Lophozia* sp. → Status not evaluated  
 79. *Lunularia cruciata* Dumort.  
 80. *Madotheca acutiphylla* Kashyap → *Porella caespitans* (Stephani) S. Hatt. (Hattori, 1978)  
 81. *Madotheca angusta* Stephani → *Porella gracillima* Mitt. (Hattori, 1978)  
 82. *Madotheca appendiculata* Stephani → *Porella densifolia* S. Hatt. subsp. *appendiculata* (Stephani) S. Hatt. (Hattori, 1978).  
 83. *Madotheca borellii* Gola → *Porella borellii* (Gola) Parihar (fide Bapna and Kachroo, 2000)  
 84. *Madotheca campylophylla* Lehm. et Lindenb. → *Porella campylophylla* (Lehm. et Lindenb.) Trevis var. *campylophylla* (Hattori, 1978)  
 85. *Madotheca decurrens* Stephani → *Porella decurrens* (Stephani) S. Hatt. (Hattori, 1969)  
 86. *Madotheca densifolia* Stephani → *Porella densifolia* (Stephani) S. Hatt. (Hattori, 1944)  
 87. *Madotheca densiramea* Stephani → *Porella chinensis* (Stephani) Hatt. (Hattori, 1978)  
 88. *Madotheca denticulata* Kashyap → *Porella denticulata* (Kashyap and Chopra) J.X. Luo (Li, 1985)  
 89. *Madotheca gambleana* Stephani → *Porella chinensis* (Stephani) S. Hatt. (Hattori, 1978)  
 90. *Madotheca gollanii* Stephani ('gollani') → *Porella campylophylla* (Lehm. et Lindenb.) Trevis var. *campylophylla* (Hattori, 1978)  
 91. *Madotheca gracillima* Mitt → *Porella gracillima* Mitt. (Hattori, 1978)  
 92. *Madotheca hastata* Stephani → *Porella chinensis* fo. *hastata* (Stephani) S. Hatt. (Hattori, 1975)  
 93. *Madotheca macroloba* Stephani → *Porella obtusata* (Taylor) Trevis var. *macroloba* (Stephani) S. Hatt. and Zhang (Hattori and Zhang, 1985)  
 94. *Madotheca obtusifolia* Kashyap → *Porella gracillima* Mitt. (Hattori, 1978)  
 95. *Madotheca ovalis* Gottsche (MS) → *Porella obtusata* (Taylor) Trevis var. *macroloba* (Stephani) S. Hatt. and Zhang (Hattori and Zhang, 1985)  
 96. *Madotheca platyphylla* (L.) Dumort. → *Porella platyphylla* (L.) Pfeiff. (Hattori, 1978)  
 97. *Madotheca plumosa* Mitt. → *Porella plumosa* (Mitt.) Inoue (Hattori, 1978)  
 98. *Madotheca trigonifolia* Stephani → *Porella platyphylla* (L.) Pfeiff. (Shaheen and Srivastava, 1986)  
 99. *Madotheca variabilis* Kashyap → *Porella variabilis* (Kashyap) Kachroo (Kachroo, 1973)  
 100. *Madotheca virens* Stephani → *Porella platyphylla* (L.) Pfeiff. (Shaheen and Srivastava, 1986)  
 101. *Marchantia nepalensis* Lehm. et Lindenb.  
 102. *Marchantia palmata* Nees → *Marchantia emarginata* Reinw., Blume and Nees subsp. *emarginata* (Bischler, 1989)  
 103. *Marchantia polymorpha* L.  
 104. *Marchantia simlana* Stephani → *Marchantia papillata* Raddi subsp. *grossibarba* (Stephani) Bischl. (Bischler, 1989)  
 105. *Massalongoa tenera* Stephani → *Cryptomitrium himalayense* Kashyap (Kachroo et al, 1977)  
 106. *Mastigobryum triangulare* (Schleich.) Stephani → *Bazzania tricrenata* (Wahlenb.) Lindb. (Sharma and Srivastava, 1993)  
 107. *Metzgeria conjugata* Lindb.  
 108. *Metzgeria furcata* (L.) Lindb.  
 109. *Metzgeria himalayensis* Kashyap → *Metzgeria lindbergii* Schiffner (So, 2003)  
 110. *Metzgeria pubescens* Raddi  
 111. *Notothylas indica* Kashyap  
 112. *Notothylas levieri* Schiffner  
 113. *Pellia calycina* (Taylor) Nees → *Pellia endiviifolia* (Dicks.) Dumort. (Schuster, 1992)  
 114. *Pellia epiphylla* (L.) Lindb.  
 115. *Pellia neesiana* (Gottsche) Limpr.  
 116. *Petalophyllum indicum* Kashyap  
 117. *Plagiochasma appendiculatum* Lehm. and Lindenb.  
 118. *Plagiochasma articulatum* Kashyap → *Plagiochasma pterospermum* C. Massal. (Bischler, 1979)  
 119. *Plagiochasma cordatum* Lehm. and Lindenb.  
 120. *Plagiochasma intermedium* Lindenb. and Gottsche  
 121. *Plagiochasma quadricornutum* Stephani → *Plagiochasma pterospermum* C. Massal. (Bischler, 1979)  
 122. *Plagiochasma simlense* Kashyap → *Plagiochasma rupestre* (J.R. Forest. and G. Forest) Stephani (Bischler, 1979)  
 123. *Plagiochila accedens* Stephani → *P. korthalsiana* Molk. ex Sande Lac. (Inoue, 1984)  
 124. *Plagiochila asplenoides* (L.) Dumort. → status doubtful, may be erroneous report of *P. ovalifolia* (So and Grolle, 2000)  
 125. *Plagiochila cavifolia* Stephani → *P. duthiana* Stephani (Inoue, 1965)  
 126. *Plagiochila duthiana* Stephani  
 127. *Plagiochila ferruginea* Stephani → *Plagiochila durelii* Schiffner subsp. *durelii* (Grolle and So, 1999a)  
 128. *Plagiochila gollani* Stephani → *Plagiochila nepalensis* Lindenberg (Grolle and So 1999b)  
 129. *Plagiochila grata* Stephani → *Plagiochila nepalensis* Lindenberg (Grolle and So 1999c)  
 130. *Plagiochila himalayensis* Stephani → *Plagiochila duthiana* Stephani (Inoue, 1967)  
 131. *Plagiochila mittenii* Stephani → *Plagiochila uniformis* Mitt. (Inoue, 1965)  
 132. *Plagiochila mundiensis* Stephani  
 133. *Plagiochila nana* Stephani → *Plagiochila durelii* Schiffner (So and Grolle, 2000)  
 134. *Plagiochila simlana* Mitt. → *Plagiochila uniformis* Mitt. (So and Grolle, 2000)  
 135. *Plagiochila* sp. A → Status not evaluated  
 136. *Plagiochila* sp. B → Status not evaluated  
 137. *Preissia quadrata* (Scop.) Nees  
 138. *Ptychanthus striatus* (Lehm. and Lindenb.) Nees  
 139. *Radula complanata* (L.) Dumort.  
 140. *Radula douleana* Stephani → *Radula grandifolia* Stephani (Udar and Kumar 1984)  
 141. *Radula grandifolia* Stephani

142. *Radula lindbergii* Gottsche  
 143. *Reboulia hemispherica* (L.) Radji  
 144. *Riccia cruciata* Kashyap  
 145. *Riccia fluitans* L. sensu Kashyap (1929) → *Riccia stricta* (Gottsche, Lindenb and Nees) Perold (fide Manju et al., 2012)  
 146. *Riccia himalayensis* Kashyap → *Riccia discolor* Lehm. and Lindenb. (Srivastava, 1964)  
 147. *Riccia melanospora* Kashyap  
 148. *Riccia pathankotensis* Kashyap  
 149. *Riccia robusta* Kashyap → *Riccia crystallina* L. (Nicholson, 1932)  
 150. *Riccia sanguinea* Kashyap → *Riccia frostii* Austin (Srivastava, 1964)  
 151. *Riella indica* Stephani ex Kashyap → uncertain taxonomical status  
 152. *Sauchia spongiosa* Kashyap → *Sauteria spongiosa* (Kashyap) Hatt. (Schimizu and Hattori, 1954)  
 153. *Sauteria alpina* Nees  
 154. *Scapania parva* Stephani → *S. verrucosa* Heeg. (fide Potemkin, 2002)  
 155. *Scapania purpurea* Kashyap → Potemkin (2002) speculated it as a synonym of *Scapania undulata* (L.) Dumort.  
 156. *Scapania verrucosa* Heeg.  
 157. *Sewardiella tuberifera* Kashyap  
 158. *Solenostoma brevifolia* Kashyap → *Solenostoma breviflorum* Kashyap (Váňa and Long, 2009)  
 159. *Solenostoma crenulata* (Sm.) Stephani → *Solenostoma gracillimum* (Sm.) R.M. Schust. (fide Váňa and Long, 2009)  
 160. *Solenostoma lanceolata* (L.) Stephani → *Jungernmannia atrovirens* Dumort. (Váňa and Long, 2009)  
 161. *Solenostoma purpurata* Mitt. → *Solenostoma purpuratum* (Mitt.) Stephani (Váňa and Long, 2009)  
 162. *Southbya gollani* Stephani  
 163. *Stephensonella brevipedunculata* Kashyap  
 164. *Targionia hypophylla* L.  
 165. *Wiesnerella denudata* (Mitten) Stephani

## Result and Discussion

The present work is an effort to provide the present status of various taxa described by Kashyap in this monumental work. Out of 165 described species, 4 records which are doubtful and 8 unidentified species were not evaluated. Out of rest 153 species, only 62 still have maintained their status while taxonomical status of 91 have been changed, thus making a final count of 127 accepted names.

## Acknowledgements:

The authors wish to thank Drs AK Asthana and Vinay Sahu, CSIR-National Botanical Research Institute, Lucknow and our mentor Prof. S.C. Srivastava, ex Head of Botany Department, University of Lucknow, Lucknow for their help and support.

## References

- Asthana, A. K., and Srivastava, S.C. 1991. Indian Hornworts. *Bryophyt Biblioth* 42: 1-158.
- Bischler, H. 1979. *Plagiochasma* Lehm and Lindenb. III. Les taxa d' Asie et d' océanie. *J Hattori Bot Lab* 45: 279.
- Bischler, H. 1989. *Marchantia*. The Asiatic and Oceanic Taxa. *Bryophyt Biblioth* 38: 1-317.
- Feldberg, K, J. Váňa, J. Hentschel, and J. Heinrichs. 2010. Currently accepted species and new combination in Jamesonielloideae (Adelanthaceae, Jungermanniales). *Cryptog Bryol* 31(2), 141-146.
- Grolle, R., and M. L So. 1999c. Studies on *Plagiochila* sect. *Subtropicae* in East Asia. *Bryologist* 102(1): 67-75.
- Grolle, R., and M. L. So 1999b. Studies on *Plagiochila* sect. *Contiguae* in South and East Asia. *Bryologist* 102(2): 294-303.
- Grolle, R., and M. L. So. 1999a. On the *Plagiochila* species of sect. *Zonatae* with Paraphyllia or Mammillose Stems (Hepaticae). *Syst Bot* 24: 297-310.
- Hattori, S. 1944. Notula de Hepaticis Japonicis 7. *J Jap Bot* 20: 103-112.
- Hattori, S. 1969. Notes of the Asiatic species of the genus *Porella* (Hepaticae) II. *J Hattori Bot Lab* 32: 319-359.
- Hattori, S. 1974. Notes on Asiatic species of the genus *Frullania*, Hepaticae V. *J Hattori Bot Lab* 38: 185-221.
- Hattori, S. 1975. Asiatic species of *Porella* (Hepaticae). V. *J Hattori Bot Lab* 39: 269-276.
- Hattori, S. 1978. Notes on Asiatic species of the genus *Porella* (Hepaticae) VII. *J Hattori Bot Lab* 44: 91-120.
- Hattori, S. 1980. Notes on Asiatic species of the genus *Frullania*, Hepaticae XII. *J Hattori Bot Lab* 47: 85-125.
- Hattori, S. and P. J. Lin. 1985. A preliminary study of Chinese *Frullania* flora. *J Hattori Bot Lab* 59: 123-169.
- Hattori, S., and M. Zhang. 1985. Porellaceae of Shensi Province, China. *J Jap Bot* 60: 321-326.
- Inoue, H. 1965. Contribution to the knowledge of the Plagiochilaceae of southeastern Asia VII. Synopsis of *Plagiochila* Dum. In the Himalayan region. *Bull Nat Sci Mus Tokyo* 8: 375-403.
- Inoue, H. 1967. Contribution to the knowledge of the Plagiochilaceae of southeastern Asia X. supplement to the synopsis of Himalayan *Plagiochila*. *J Hattori Bot Lab* 30: 119-128.
- Inoue, H. 1984. *The genus Plagiochila (Dum.) Dum. in southeast Asia*. Tokyo: Academic Scientific Book Inc.
- Kachroo P. 1958. Morphology of Rebouliaceae III. Development of sex organs, sporogonium and interrelationships of various genera. *J Hattori Bot Lab* 19, 1-24.
- Kachroo, P. 1952. Notes on Assam Hepaticae: a preliminary note. *Journal of the University of Gauhati* 3: 129-131.
- Kachroo, P. 1973. Hepaticae of India – a taxonomic survey and census III. Plagiochilaceae through Pleuroziaceae. – *J Sci Univ Kashmir* 1: 141–161
- Kachroo, P., K. R. Bapna, and G. L. Dhar. 1977. Hepaticae of India – A taxonomic survey and census V (concl.). Fossombroniaceae through Anthocerotaceae. *J Indian Bot Soc* 56: 63-86.
- Kashyap, S. R. 1929. *Liverworts of western Himalayas and Panjab plains*. Vol. 1, University of Panjab, Lahore. 129 Pp.
- Kashyap, S. R., and R. N. Chopra. 1932. *Liverworts of western Himalayas and Panjab plains*. Vol. 2, University of Panjab, Lahore. 137 pp.
- Konstantinova, N. A., and Yu. S. Mamontov. 2010. A revision of the genus *Calycularia* Mitt. *Arctoa* 19: 117-130.
- Li, X.-J. 1985. *Bryoflora of Xizhang*. The Comprehensive Scientific Expedition to the Qinghai-Xizang Plateau, Academia, Sinica. Science Press, Beijing, China. pp. 581.
- Long, D. G. 2006. Revision of the Genus *Asterella* P. Beauv. in Eurasia. *Bryophyt Biblioth* 63:1-299.
- Manju, C. N., K. P. Rajesh, and R. Prakashkumar. 2012. On the identity of *Riccia fluitans* (Ricciaceae:

- Marchantiophyta) in India. *Acta Biologica Plantarum Agriensis* 2: 115-124.
- Mizutani, M. 1961. A revision of Japanese Lejeuneaceae. *J Hattori Bot Lab* 24: 115-302.
- Mizutani, M. 1979. Hepatics from Eastern Nepal collected by Himalayan expedition of Chiba University in 1977. *J Hattori Bot Lab* 46: 311-325.
- Nicholson, W. E. 1932. In Verdoorn's "Hepaticae selectae et criticae." Ser. III et IV. *Ann Bryol* 5: 142.
- Potemkin, A. 2002. Phylogenetic system and classification of the family Scapaniaceae Mig. Emend Potemkin (Hepaticae). *Ann Bot Fennici* 39: 309-334
- Rubasinghe, S. C. K. 2011. Phylogeny and taxonomy of the complex thalloid liverwort family Cleveaceae Cavers. Ph.D. thesis, University of Edinburgh, UK.
- Rubasinghe, S. C. K. D. Long, and R. Millne. 2011. A new combination and three new synonyms in the genus *Clevea* Lindb. (Marchantiopsida, Cleveaceae). *J Bryol* 33: 166-168
- Schimizu, D., and S. Hattori. 1954. Marchantiales of Japan. III. *J Hattori Bot Lab* 12, 53-75.
- Schuster, R. M. 1992. *The Hepaticae and Anthocerotae of North America (East of the Hundredth Meridian)* V. Field Museum of Natural History, Chicago.
- Shaheen, F., and S. C. Srivastava. 1986. *Porella platyphylla* (L.) Pfeiff. in India and scanning electron microscope details of spores. *Proc Indian Acad Sci* 96 (1): 17-24.
- Sharma, D., and S. C. Srivastava. 1993. Indian Lepidoziineae (a taxonomic revision). *Bryophyt Biblioth* 47, 1-353.
- Singh, S. K. 2012 [2013]: Notes on the taxonomic status of *Lophozia alpestris*. *Geophytology* 42(1): 83-84.
- So, M. L. 2003. The genus *Metzgeria* (Hepaticae) in Asia. *J Hattori Bot Lab* 94: 159-177.
- So, M. L., and R. Grolle. 2000. Studies on *Plagiochila* section *Plagiochila* in Asia. *J Bryol* 22: 17-28.
- Söderström, L., J. Vana, B. Crandall-Stotler, R. Stotler, A. Hagborg, and M. V. Konrat. 2013. Notes on Early Land Plants Today. 43. New combinations in Lophocoleaceae (Marchantiophyta). *Phytotaxa* 112 (1): 18-32.
- Srivastava, A., and S. C. Srivastava. 2002. *Indian Geocalycaceae* (Hepaticae) – a taxonomic study. Bishen Singh Mahendra Pal Singh, Dehradun
- Srivastava, K. P. 1964. Bryophytes of India. I. Ricciaceae. *Bull Natl Bot Gard* 104: 1-103.
- Srivastava, S. C., and A. Srivastava. 1995. Species of *Scapania* from Lilam in Kumaon (western Himalayas), Uttar Pradesh, India. *Geophytology* 24: 137-145.
- Srivastava, S. C., and R. Udar. 1975. Taxonomy of the Indian Metzgeriaceae – a monographic study. *New Botanist* 2: 1-57.
- Srivastava, S. C., and R. Udar. 1976. Indian Aneuraceae – a monographic study. *Biological Memoirs* 1: 121-154.
- Udar, R., and A. Jain. 1983. Polymorphism in *Asterella wallichiana* (Lehm. et Lindenb.) Grolle from India. *J Indian Bot Soc* 62, 361-366.
- Váňa, J., and D.G. Long. 2009. Jungermanniaceae of the Sino-Himalayan region. *Nova Hedwigia* 89(3-4): 485-517.

