Noor N, Satapathy K B. Diversity of medicinally important leafy vegetables used by the tribes in Balasore district of Odisha, India. Plant Science Today (Early Access). https://doi.org/10.14719/pst.1815

Supplementary Table

Supplementary Table 1. Ethnomedicinal uses of leafy vegetables of Balasore district in Odisha

Botanical name and Family	Voucher Number	Local name with Tribe	Parts used	Diseases treated	Formulations
Achyranthes aspera L. [Amaranthaceae]	NN-298	Buridatara m [Santal]	Leaves	Stomach ulcer	Leaf juice (1-2 teaspoonful) is taken thrice a day on an empty stomach for 4 days.
Aerva lanata (L.) Juss. ex Schult. [Amaranthaceae]	NN-256	Chindi [Oraon]	Leaves	Dysentery	Cake prepared from the leaf paste and boiled rice is eaten.
Allium cepa L. [Amaryllidaceae]	NN-305	Piaz [Santal]	Bulb	Eye defect	½ or 1 bulb is eaten in lunch or dinner every day.
Allium sativum L. [Amaryllidaceae]	NN-277	Rasuna [Bhumija]	Bulb	Common cold	1 clove of garlic is consumed on an empty stomach in the morning.
Alocasia macrorrhizos (L.) G.Don [Araceae]	NN-390	Mana [Santal]	Leaves	Agalactorrhea	Leaves are boiled and then consumed by lactating mother.
Alternanthera sessilis (L.) R.Br. ex DC. [Amaranthaceae]	NN-227	Garundi arak [Santal]	Root	Conjunctivitis	Finely ground root juice is used as eye drops daily.
Amaranthus caudatus L. [Amaranthaceae]	NN-295	Khada Sago [Bhumija]	Leaves	Bleeding and pain	Leaf paste is externally applied on cuts and bandaged.
Amaranthus spinosus L. [Amaranthaceae]	NN-240	Janum arak [Santal]	Leaves	Eczema	Leaf paste is applied externally to the affected areas.
Amorphophallus paeoniifolius (Dennst.) Nicolson [Araceae]	NN-388	Olo [Oraon]	Corm	Piles	Burnt corm paste mixed with sesame oil and a little common salt (2 teaspoonful) is eaten once a day for a week.
Andrographis paniculata (Burm.f.) Nees [Acanthaceae]	NN-396	Hasa nimb [Santal]	Leaves	Diabetes	Strained water obtained from dried plant parts soaked in water overnight is taken in the morning or an empty stomach.
Antidesma acidum Retz. [Phyllanthaceae]	NN-225	Matha arak [Santal]	Leaves	Dysentery	Leaves are dried and consumed in powder form by mixing it with wate
Azadirachta indica A. Juss. [Meliaceae]	NN-261	Neem dare [Santal]	Leaves	Ulcers/Boils	Dried leaves powder are heated and wrapped in a piece of cloth and tied firmly in the affected area.

Bacopa monnieri (L.) Pennell.[Plantaginaceae]	NN-211	Brahmi arak [Santal]	Leaves	Malarial fever	2 teaspoonful leaf juice is taken twice a day for 3 days.
Basella alba L. [Basellaceae]	NN-284	Purai [Santal]	Leaves	Diarrhoea	1/4 th of the leaf mixed with 2 black pepper is grinded and is taken thrice a day.
Bauhinia variegata L.[Fabaceae]	NN-322	Sin arak [Santal]	Bark	Ascites	Bark of 'Gambhari' (<i>Gmelina</i> arborea) and 'Kanchanar' (<i>Bauhinia</i> variegata) tree is grinded and mixed with fermented rice water then orally administered.
Boerhavia diffusa L. nom. cons. [Nyctaginaceae]	NN-347	Ohoic arak [Santal]	Root	Fistula in ano	Root along with blood of the black goat is boiled and given once in a day for 15 days.
Brassica napus L.[Brassicaceae]	NN-372	Sorisha [Bhumija]	Seed	Earache	2-3 drops of warm oil is dropped into the ear.
Cayratia auriculata (Roxb.) Gamble [Vitaceae]	NN-335	Nadara dunka [Bhumija]	Leaves	Dysentery	Leaves are dried and made into powder and consumed.
Centella asiatica (L.) Urban [Apiaceae]	NN-270	Chatum arak [Santal]	Leaves	Boost memory power	Raw leaves/ leaf juice mixed with Cow's milk is taken twice in a day.
Chenopodium album L. [Amaranthaceae]	NN-237	Bathua [Santal]	Leaves	Piles	Leaves are fried and consumed.
Cicer arietinum L. [Fabaceae]	NN-378	But arak [Santal]	Seed	Constipation	50 g seeds soaked in water overnigh is consumed raw.
Cissampelos pareira L. [Menispermaceae]	NN-316	Kidu [Santal]	Root	Leucorrhoea	2 gm powder prepared from dried root is taken two times daily in empty stomach for 7 days.
Cleome viscosa L. [Cleomaceae]	NN-202	Hur hura arak [Santal]	Leaves	Earache	Juice obtained by crushing 2-3 leaves with a little salt is use as ear drop.
Coccinia grandis (L.) Voigt [Cucurbitaceae]	NN-269	Kundri arak [Santal]	Leaves	Diabetes	Decoction of the leaves (5-10 ml) is consumed once daily for seven days
Cocculus hirsutus (L.) Diels [Menispermaceae]	NN-331	Musakani [Santal]	Leaves	Stomach ache	Leaves are made into sherbet and consumed.
Coleus barbatus (Andrews) Benth. exG.Don [Lamiaceae]	NN-283	Ban juani [Bhumija]	Leaves	Diarrhoea	10 ml leaf juice mixed with a pinch o rock salt is orally administered once in every one hr.
Commelina benghalensis L. [Commelinaceae]	NN-223	Kana arak [Santal]	Leaves	Eye sores/ styes	Sap of the leaf sheath is applied on the affected areas.
Corchorus capsularis L. [Malvaceae]	NN-302	Nalita [Oraon]	Leaves	Fever	Leaf juice mixed with honey is consumed 7 times in a day.

Coriandrum sativum L. [Apiaceae]	NN-291	Dhaniya sakaam [Santal]	Leaves	Epilepsy	Coriander seeds and boiled rice are made into a paste then cooked and consumed.
Cucurbita pepo L. [Cucurbitaceae]	NN-258	Kahanda arak [Santal]	Seed	Expelling Intestinal Worms	A paste prepared from 25g seed kernel with a little water and jaggery is taken with warm milk (4 teaspoonful) in the morning after breakfast.
Dicliptera bupleuroides Nees. [Acanthaceae]	NN-262	Khaparcha tia [Oraon]	Leaves	Dysmenorrhoea	Leaf juice is taken.
Eclipta prostrata (L.) L. [Asteraceae]	NN-272	Kalakesad ura [Oraon]	Leaves	Dysentery	10 ml of leaf juice mixed with 20 ml sheep's milk is orally administered 2 times a day.
Enydra fluctuans Lour. [Asteraceae]	NN-311	Hamae arak [Santal]	Leaves	Reducing body inflammation	2-3 teaspoonful of leaf juice is consumed once a day early in the morning.
Eryngium foetidum L. [Apiaceae]	NN-340	Janglidhan ia [Bhumija]	Leaves	Vomiting due to indigestion	10 ml leaf decoction is prescribed orally2 times a day on an empty stomach.
Erythrina variegata L. [Fabaceae]	NN-333	Paladhua [Oraon]	Leaves	Expelling intestinal worms	1-2 teaspoonful of leaf juice is given to children once a day for 3-4 days.
Euphorbia hirta L. [Euphorbiaceae]	NN-241	Chitakuti [Bhumija]	Leaves	Spermatorrhoe a	Two to three leaves are crushed and taken with a little jiggery.
Ficus religiosa L. [Moraceae]	NN-385	Hesak arak [Santal]	Bark	Vomiting and diarrhoea	Ash resulting from burnt bark is mixed with water and taken 2-4 teaspoonful in every one hr.
Foeniculum vulgare Mill. [Apiaceae]	NN-369	Pan mohari [Oraon]	Seeds	Colic	10 g seeds mixed with 50 g sugar is boiled in 100 ml water and the resulting syrup (5 ml) is given to child thrice a day.
Glinus oppositifolius (L.) Aug. DC. [Molluginaceae]	NN-293	Pite gimah [Bhumija]	Leaves	Scabies	Leaf paste is applied externally.
Hibiscus sabdariffa L. [Malvaceae]	NN-355	Kaunri arak [Santal]	Leaves	Dysuria	10 g leaf paste is orally administered twice a day for 7 days.
Hygrophila auriculata Schumach. [Acanthaceae]	NN-308	Koelekha [Bhumija]	Leaves	Expelling intestinal worms	Equal amount of leaf juice mixed with lemon juice is consumed once every day.
Ipomoea aquatica Forssk.[Convolvulaceae]	NN-260	Kalandi arak [Santal]	Leaves	Agalactorrhea	Stir fried leaves is given to the mother of a new born baby.
Justicia adhatoda L. [Acanthaceae]	NN-359	Basango [Bhumija]	Leaves	Cough and Cold	10 ml leaf juice mixed with honey is consumed twice a day.

Lablab purpureus (L.) Sweet [Fabaceae]	NN-310	Simbo [Bhumija]	Fruit	Constipation and indigestion	Stir-fried fruit is consumed.
Lagenaria siceraria (Molina) Standl. [Cucurbitaceae]	NN-377	Nol [Oraon]	Fruit	Agalactorrhea	Cooked immature fruit is consumed.
Leucas cephalotes (Roth) Spreng.[Lamiaceae]	NN-292	Dhurup arak [Santal]	Leaves	Hemicarnia	Leaf powder is wrapped in a dry leaf to form a cigarette shape and is inhaled.
Luffa acutangula (L.) Roxb. [Cucurbitaceae]	NN-279	Janni [Santal]	Leaves	External hemorrhoids	Dried leaf powder is applied to the affected area.
Marsilea quadrifolia L. [Marsileaceae]	NN-325	Chatom arak [Santal]	Leaves	Insomnia	Stir fried leaves or boiled leaves are consumed.
Mentha spicata L. [Lamiaceae]	NN-320	Pudina sakaam [Santal]	Leaves	Diarrhoea	Leaf juice mixed with sunthi powder (dried ginger) and a little salt is taken.
Momordica charantia L. [Cucurbitaceae]	NN-265	Kaalra sakaam [Santal]	Leaves	Expelling intestinal worms	20 ml leaf juice is orally administerd in early morning on an empty stomach for 4-5 days.
Moringa oleifera Lam. [Moringaceae]	NN-229	Munga arak [Santal]	Leaves	High blood pressure	1 teaspoonful leaf juice orally administered every day once on an empty stomach.
Murraya koenigii (L.) Sprengel [Rutaceae]	NN-375	Kadhi patta [Bhumija]	Leaves	Hyperacidity	½ cup leaf juice is consumed in the early morning.
Nyctanthes arbor-tristis L. [Oleaceae]	NN-399	Singaroha ro [Bhumija]	Leaves	Intermittent fever	2-3 teaspoonful of leaf juice is consumed once a day in the morning on an empty stomach for 3 days.
Olax scandens Roxb. [Olacaceae]	NN-387	Marga Saga [Santal]	Leaves	Fever and Cough	10 ml leaf juice mixed with honey is consumed.
Oxalis corniculata L. [Oxalidaceae]	NN-315	Chomorak oi arak [Santal]	Leaves	Vomiting and Diarrhoea	10 ml leaf juice mixed with a little sugar candy powder is given to children twice a day.
Paederia foetida L. [Rubiaceae]	NN-338	Gandhiali [Oraon]	Leaves	Arthritis	Cake prepared from the leaf paste and boiled rice paste after frying is consumed.
Polygonum plebeium R. Br. [Polygonaceae]	NN-294	Sauri [Santal]	Whole plant	Foot corn	Whole plant and black pepper are crushed and applied to foot.
Portulaca oleracea L. [Portulacaceae]	NN-342	Bek saga [Oraon]	Leaves	Expelling intestinal worms	Leaves are boiled, fried and consumed.
Raphanus sativus L. [Brassicaceae]	NN-300	Mula arak [Santal]	Fruit	Hyperacidity	20 ml fruit juice mixed with 10 g sugar candy powder is taken 2 times

					(morning and evening) on an empty stomach.
Rungia pectinata (L.) Nees [Acanthaceae]	NN-332	Hasa arak [Santal]	Leaves	Ringworm of scalp	Freshly crushed leaves mixed with castor oil is applied on the scalp.
Senna tora (L.) Roxb. [Fabaceae]	NN-262	Chakunda Oraon	Seed	Eczema	Seed paste is externally applied.
Senna occidentalis (L.) Link [Fabaceae]	NN-329	Cakaoda [Santal]	Leaves	Ringworm	Leaf paste mixed with 3-4drops of lemon juice and a pinch of sulphur is applied.
Sesbania grandiflora (L.) Poiret [Fabaceae]	NN-213	Agasthi [Bhumija]	Leaves Flower	Sore throat	Decoction of both leaves and flowers is recommended for gargling.
Solanum tuberosum L. [Solanaceae]	NN-268	Alu [Bhumija]	Tuber	Burns/ Boils	Tuber paste is externally applied to affected areas.
Spermacoce articularis L.f. [Rubiaceae]	NN-360	Pitua arak [Santal]	Leaves Roots	Conjunctivitis	Leaves/roots are grinded and resulting juice is squeezed into the infected eyes.
Spinacea oleracea L. [Amaranthaceae]	NN-257	Palanga [Santal]	Leaves	Indigestion and Ageusia	Equal amount of leaf juice and tomato juice (50 ml each) is boiled along with a pinch of black salt and black pepper powder and consumed.
Tamarindus indica L. [Fabaceae]	NN-216	Jojo [Santal]	Leaves	Vomiting	Leaves are boiled and filtered water is taken
Tinospora cordifolia (Thunb.) Miers [Menispermaceae]	NN-365	Koilisuta [Santal]	Whole plant	Fever	5 ml plant decoction mixed with honey is administered orally twice a day.
Trichosanthes dioica Roxb. [Cucurbitaceae]	NN-252	Potala [Oraon]	Leaves	Diarrhoea	Leaf decoction mixed with <i>Piper nigrum</i> fruit powder is orally administered.
Trianthema protulacastrum L. [Aizoaceae]	NN-281	Khapara [Bhumija]	Leaves	Headache	Juice obtained from the leaves is massaged on fore head against severe head ache.
Trigonella foenum-graecum L. [Fabaceae]	NN-397	Methi [Santal]	Seed	Oligomenorrhe a	10 g seed powder soaked overnight in water is given twice daily for 10 days.
Zanthoxylum asiaticum (L.) Appelhans, Groppo & J.Wen [Rutaceae]	NN-345	Tundpora [Bhumija]	Leaves	Fever	2-3 ml leaf juice is orally administered once a day.