



RESEARCH COMMUNICATION

# *Phryma leptostachya* L. (Phrymaceae): An addition to the flora of Western Himalayas, India

Naresh Kumar<sup>1,2,3</sup>, K.M. Prabhukumar<sup>1,4</sup>, Dhani Arya<sup>2</sup> & Tikam Singh Rana<sup>1,4\*</sup>

<sup>1</sup>CSIR-National Botanical Research Institute, Lucknow, 226001, Uttar Pradesh, India

<sup>2</sup>Department of Botany, S. S. J. University, Almora, 233601, Uttarakhand, India

<sup>3</sup>Department of Botany, Kumaun University, Nainital, 263001, Uttarakhand, India

<sup>4</sup>Academy of Scientific and Innovative Research (AcSIR), Ghaziabad, 201002, Uttar Pradesh, India

\*Email: [ranats@nbri.res.in](mailto:ranats@nbri.res.in); [ranatikam@gmail.com](mailto:ranatikam@gmail.com)



## ARTICLE HISTORY

Received: 16 August 2023

Accepted: 13 November 2023

Available online

Version 1.0 : 11 April 2024

Version 2.0 : 05 May 2024



## Abstract

*Phryma leptostachya* L. is reported from Chabba Village in Ramban district, Jammu and Kashmir, as a new distributional record for the flora of Western Himalayas. In India, the distribution of this species was previously reported only in the states of Assam, Mizoram, and Meghalaya.

## Keywords

Chabba Village; new record; Ramban district

## Additional information

**Peer review:** Publisher thanks Sectional Editor and the other anonymous reviewers for their contribution to the peer review of this work.

**Reprints & permissions information** is available at [https://horizonepublishing.com/journals/index.php/PST/open\\_access\\_policy](https://horizonepublishing.com/journals/index.php/PST/open_access_policy)

**Publisher's Note:** Horizon e-Publishing Group remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

**Indexing:** Plant Science Today, published by Horizon e-Publishing Group, is covered by Scopus, Web of Science, BIOSIS Previews, Clarivate Analytics, NAAS, UGC Care, etc See [https://horizonepublishing.com/journals/index.php/PST/indexing\\_abstracting](https://horizonepublishing.com/journals/index.php/PST/indexing_abstracting)

**Copyright:** © The Author(s). This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution and reproduction in any medium, provided the original author and source are credited (<https://creativecommons.org/licenses/by/4.0/>)

## CITE THIS ARTICLE

Kumar N, Prabhukumar KM, Arya D, Rana TS. *Phryma leptostachya* L. (Phrymaceae): An addition to the flora of Western Himalayas, India. Plant Science Today. 2024; 11(2): 435–437. <https://doi.org/10.14719/pst.2837>

## Introduction

The genus *Phryma* (Phrymaceae) was proposed by Linnaeus in 1753 based on a single species, *P. leptostachya*. At present, the genus comprises of 3 species viz. *P. oblongifolia* Koidz., *P. nana* Koidz. and *P. Leptostachya* L. (1). *Phryma leptostachya* is a herbaceous terrestrial species distributed mainly in east Asia and eastern North America (2). The species is having unusually long hooked tips on the calyx and a single-seeded fruit, which accounts for its isolated taxonomic position (3). The species exhibits a wide range of intraspecific variation within different geographical populations. The previous researchers (4) recorded differences in shape of leaves, pubescence of rachises and calyces, and size of corollae in Japanese and North American races of *P. leptostachya*. It was also observed that the population of *P. leptostachya* in the North Eastern Himalayas shows some morphotypic variations from the Japanese plants mainly on the indumentum present on the stem and rachis and fewer exerted corolla (5). The plant possesses high economic potentialities (6) in China as the plant parts are used to cure human scabies.

While exploring the floristic diversity of Ramban district, Jammu & Kashmir, the first author observed an interesting population of a species in Chabba village at an elevation range of 1886 m. Ramban district is situated on the Chenab River's banks at an altitude range from 701–3331 m. Chabba Village of Ramban district is an important corridor, which connect Jammu Division with Kashmir Division via National Highway-NH44 and is unexplored and remote district of the Union Territory. Detailed taxonomic studies with perusal of relevant literature (7-27), comparison with the available herbarium specimens and consultation with experts, its identity has been confirmed as *P. leptostachya*, a species hitherto not reported from Western Himalayas. Previously this species was reported only from North eastern states of India viz. Assam, Meghalaya and Mizoram (5). Therefore, it is reported here as a new record to the flora of Western Himalayas (Fig. 1).



Fig. 1. (A. & B.) *Phryma leptostachya*. Habit ; (C) Inflorescence.

## Materials and Methods

The live specimens collected from the Chabba Village of the study area were examined for detailed micromorphological characters using a Leica stereo microscope (S8 APO). For the confirmation of the identity of the taxon, the specimens available at various herbaria (BM, E, LINN, NY, and PH) were examined. The nomenclatural corrections were made according to Shenzhen code (28). Abbreviated author citations were given following the Authors of Plant Names (29). Acronyms of Herbaria were provided according to Index Herbariorum (30). The specimens of appropriate size with relevant parts were collected from the field and the herbarium specimens were prepared following the standard methods (31-32). The voucher specimens were deposited in the herbarium of CSIR-National Botanical Research Institute (LWG) for future reference.

## Taxonomy

*Phryma leptostachya* L., Sp. Pl. 601.1735; Makino, Makino's New Illustrated Flora of Japan. 578. f. 2310. 1979; Panday *et al.*, J. Econ.Taxon. Bot. 36(4): 691. 2012.

Lectotype: Kalm, Herb. Linn.No. 755.1 (LINN-HL755-1, digital image!); designated by M. Qaiser in Nasir & Ali, Fl. West Pakistan, 46: 1-3. 1973.

Erect perennial herbs, 15–85 cm high; stem branched or unbranched, erect, quadrangular, lower nodes swollen, hairy. Leaves simple, opposite and decussate; lamina elliptic-ovate to broadly ovate, 5.6–8 × 1.5–3.5 cm, cuneate at base, decurrent into petioles, dentate along margin, acuminate at apex, pubes-

cent on abaxial surface, more on mid nerve and veins; prominently veined, veins 4–5 pairs, convergent; petioles 0.3–2 cm long. Inflorescence terminal and axillary; peduncle 8–22 cm long, erect. Flowers symmetrically zygomorphic, hypogynous, purple, hooked at apex, bracteate; bracteoles 2, linear, 1.4–1.5 mm long; stipe articulate. Calyx persistent in fruit, tubular, zygomorphic, perpendicular to the stem, 2.7–6.2 mm long at anthesis, with 5 ridges; 3 adaxial lobes linear, hooked at apex, purple; the other 2 abaxial lobes short subulate, margin ciliate. Persistent fruiting calyx, 5.4–9.8 mm long, parallel to the stem, brown with light spots. Corolla bilabiate, 5–6 mm long, whitish; upper lip shallowly bi-lipped, lower lip 3-lobed, pubescent at the abaxial side and at the apex of the throat. Stamens 4, dissimilar, didynamous, 2 large, 4.3–4.4 mm long, 2 short, 2.8–2.9 mm long, adnate near to the apex of the corolla tube, included within; filaments ca. 3.4 mm long, white, glabrous. Pistil ca. 3.6 mm long, stigma bifid; style curved, 1.8–1.9 mm long. Ovary 2.6–2.7 mm long. Fruits indehiscent, 1-seeded; achene glabrous, 4.8–5.3 × 0.7–1.5 mm, enclosed within the persistent epicalyx.

## Phenology

July to October.

## Distribution

*Phryma leptostachya* is distributed globally in Bhutan, China, Columbia, Japan, North America, Taiwan, and USA (31). In India, the species has earlier been recorded from Mizoram, Assam and Meghalaya (32) and this work reports from Jammu and Kashmir.

## Specimens examined

India. Jammu & Kashmir, Ramban district, Chabba village, N 35.463333°, E75.297793°, 1886 m, 08 August 2021, Naresh Kumar 116982(LWG).

## Acknowledgements

The authors are thankful to the Director CSIR-National Botanical Research Institute, Lucknow, for providing facilities. The authors are also thankful to the Authorities of Forest Department, Jammu & Kashmir for giving permission to access the forest regions. The manuscript has CSIR-NBRI communication number: CSIR-NBRI\_MS/2023/07/09.

## Authors' contributions

NK contributed in plant collection, conceptualizing the ideas, workout, drafting and prepared original manuscript; PKM supervised the whole study, validated the identity, corrected the draft and edited the original manuscript; DA corrected the draft and edited the original manuscript, TSR supervised and edited the original manuscript.

## Compliance with ethical standards

**Conflict of interest:** Authors do not have any conflict of interests to declare.

**Ethical issues:** None.

## References

- <<https://powo.science.kew.org>> (accessed on 12 August 2023).
- Hara H. Racial differences in widespread species, with special reference to those common to Japan and North America. *American Journal of Botany*. 1962; p. 647-52. <https://doi.org/10.1002/j.1537-2197.1962.tb14994.x>
- Ming-Jer JUNG, Gwo-Ing LIAO, Chang-Sheng KUOH. *Phryma leptostachya* (Phrymaceae), a new family record in Taiwan. *Botanical Bulletin of Academia Sinica*. 2005; p. 239-44.
- Hara H. Taxonomic comparison between corresponding taxa of Spermatophyta in Eastern Himalaya and Japan. *The Flora of Eastern Himalaya*. 1966; p. 627-57.
- Samiran P, Sinha BK, Odyuo N. *Phryma leptostachya*L. (Phrymaceae) and *Fissistigma bicolor* Merr. (Annonaceae): Addition to the flora of Mizoram. *Journal of Economic and Taxonomic Botany*. 2012; p. 691-92.
- Huang TK, Ding ZZ, Zhao SX, Yan YQ, Xu GJ, Chen L, Zhang ZD. *Xian daibencaogangmu*. China Medical Science Press. Beijing; 2001.
- Osmaston AE. A forest flora for Kumaun. *International Book Distributors, Dehradun, India*. 1926; p. 1-605.
- Collett H, Botting W. Flowering plants of Simla, The neighborhood. *Flora of Simlensis*, Thacker, Spink and Co. London. 1921; p. 1-652.
- Kachroo P, Sapru BL. *Flora of Ladakh*. 1977; p. 1-172.
- Sharma BM, Kachroo P. *Flora of Jammu and plants of neighbourhood*. 1981; p. 1-443.
- Blatter E, Wathen GA, Walli HJ. Beautiful flowers of Kashmir. 1928; p. 1-198.
- Singh G, Kachroo P. *Forest flora of Srinagar and plants of neighbourhood*. 1987; 1-278.
- Navchoo IA, Kachroo P. *Flora of Pulwama (Kashmir)*. Bishen Singh Mahendra Pal Singh. 1995; p. 1-107.
- Polunin O, Stainton A. *Flowers of the Himalaya*. Oxford University Press. 1984; p. 1-580.
- Kapur SK, Sarin YK. *Flora of Trikuthahills (ShriVaishno Devi Shrine)*. Bishen Singh Mahendra Pal Singh, Dehradun. 1990; p. 1-267.
- Swami A, Gupta BK. *Flora of Udhampur*. Bishen Singh Mahendra Pal Singh. 1998; p. 1- 455.
- Dhaliwal DS, Sharma M. *Flora of Kullu district*. Bishen Singh Mahendra Pal Singh, Dehradun; 1999.
- Singh KK, Prakash A. *Flora of Rajaji national park*. Bishen Singh Mahendra Pal Singh, Dehradun. 2002; p. 1-275.
- Rana TS, Datt B, Rao RR. *Flora of tons valley Garhwal Himalaya (Uttaranchal)*. Bishen Singh Mahendra Pal Singh, Dehradun. 2003; p.1-410.
- Bhellum BL, Magotra R. *A catalogue of flowering plants of Doda, Kishtwar and Ramban districts (Kashmir Himalayas)*. Bishen Singh Mahendra Pal Singh, Dehradun. 2012; p.1-286.
- Pusalkar PK, Singh DK. *Flora of Gangotrinationalpark*. Western Himalaya, India. BSI, Calcutta. 2012; p. 1-708.
- Ishwari DR, Gajendra S, Gopal SR. *Plants of Kedarnath wildlife sanctuary, Western Himalaya: A field guide*. M/s Bishen Singh Mahendra Pal Singh, Dehradun. 2017; p. 1-393.
- Naithani HB. *Floral wealth of valley of flowers national park—A world heritage site—With special reference to Bhundyar valley*. Uttarakhand Biodiversity Board. 2019; p. 1-433.
- Naithani BD. *Flora of Chamoli*. BSI, Howrah. 1984; p.1-379.
- Naithani BD. *Flora of Chamoli*. BSI, Howrah. 1985; p. 380-795.
- Bamber CJ. *Plants of the Punjab. A descriptive key to the flora of the Punjab, North-West frontier province and Kashmir*. Superintendent Government, Printing Punjab. 1916; p.1-652. <https://doi.org/10.5962/bhl.title.24778>
- Kumar S. *Flora of Haryana*. Bishen Singh Mahendra Pal Singh, Dehradun. 2001; 1-507.
- Turland NJ, Wiersema JH, Barrie FR, Greuter W, Hawksworth DL, Herendeen PS, Knapp S, Kusber WH, Li DZ, Marhold K, May TW, McNeill J, Monro AM, Prado J, Price MJ, Smith GF. *International Code of Nomenclature for algae, fungi and plants (Shenzhen Code)*. 2018: Adopted by the Nineteenth International Botanical Congress Shenzhen, China; July 2017. *Regnum Vegetabile* 159. Glashütten: Koeltz Botanical Books. <https://doi.org/10.12705/Code.2018>
- Brummitt RK, Powell CE. *Authors of plant names: A list of authors of scientific names of plants, with recommended standard forms of their names, including abbreviations*. Royal Botanic Gardens; 1992.
- Thiers B. *Index herbariorum: A global directory of public herbaria and associated staff*. New York Botanical Garden's virtual herbarium; 2020. <http://sweetgum.nybg.org/ih>. (accessed on 12 August 2023).
- De Vogel EF. *Manual of herbarium taxonomy*. United Nations Educational, Scientific and Cultural Organization; 1987.
- Bridson DM, Forman L. *Herbarium handbook*. Royal Botanic Gardens, Kew; 1998.